

Iridocorneal Angle Foreign Body: A Case Report

S.Boutgayout*, H.Atidi, N.Inzale, D.Jaafari, A.Arfaja, S.Belghmaidi I.Hajji A. Moutaouakil

Service d'ophtalmologie CHU Mohamed VI de Marrakech, Morocco

DOI: [10.36347/sasjm.2021.v07i05.009](https://doi.org/10.36347/sasjm.2021.v07i05.009)

| Received: 19.03.2021 | Accepted: 23.04.2021 | Published: 28.05.2021

*Corresponding author: S. Boutgayout

Clinical Image

Copyright © 2021 The Author(s): This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY-NC 4.0) which permits unrestricted use, distribution, and reproduction in any medium for non-commercial use provided the original author and source are credited.

Item:

We report the case of child O had 6 years old without any pathologic history, who presented a trauma of the left eye by a stick of wood.

The ophthalmologic examination objectified: an inferior punctiform corneal wound and a foreign body encrusted at the iridocorneal angle (pic 1), surgical exploration showed a punctiform corneal

wound, the conjunctival uncovering showed a perilimbal scleral wound of 1 mm, the extraction of the foreign body was performed through a PAC, the entry and exit points of the foreign body were sutured, intracameral injection of cefuroxime and closure of the PAC, the lens and the fundus eye were normal, without other foreign bodies, the evolution was satisfying.



Pic-1